

NameLessRC OP400 VTX



OpenVTx aims to provide firmware with both the SmartAudio and Tramp protocols. Either protocol can be used on the flight controller and on VTx power up the protocol used is automatically detected by OpenVTx.



NameLessRC OP400 VTX

Main Features

OpenVTX firmware preload

Smartaudio / Tramp ready

Specifications:

Brand Name:NameLessRC

Item Name: OP400 VTX

Transmitting Power: 0/RCE/25mw/100mw/400mw

BAT: 5V

Frequency: 5.8G 48CH

Antenna: IPEX

Size: 12.5MM*15MM*3.5MM

Weight: 0.9g

Copy and paste your choice of protocol VTx table into the Betaflight CLI.



NameLessRC OP400 VTX

SMARTAUDIO

vtxtable

vtxtable bands 6

vtxtable channels 8

**vtxtable band 1 BOSCAM_A A FACTORY 5865 5845 5825
5805 5785 5765 5745 5725**

**vtxtable band 2 BOSCAM_B B FACTORY 5733 5752 5771
5790 5809 5828 5847 5866**

**vtxtable band 3 BOSCAM_E E FACTORY 5705 5685 5665
5645 5885 5905 5925 5945**

**vtxtable band 4 FATSHARK F FACTORY 5740 5760 5780
5800 5820 5840 5860 5880**

**vtxtable band 5 RACEBAND R FACTORY 5658 5695 573
2 5769 5806 5843 5880 5917**

**vtxtable band 6 LOWRACE L FACTORY 5333 5373 5413
5453 5493 5533 5573 5613**

vtxtable powerlevels 5

vtxtable powervalues 1 2 14 20 26

vtxtable powerlabels 0 RCE 25 100 400

save



TRAMP

vtxtable

vtxtable bands 7

vtxtable channels 8

**vtxtable band 1 BOSCAM_A A CUSTOM 5865 5845 5825
5805 5785 5765 5745 5725**

**vtxtable band 2 BOSCAM_B B CUSTOM 5733 5752 5771
5790 5809 5828 5847 5866**

**vtxtable band 3 BOSCAM_E E CUSTOM 5705 5685 5665
5645 5885 5905 5925 5945**

**vtxtable band 4 FATSHARK F CUSTOM 5740 5760 5780
5800 5820 5840 5860 5880**

**vtxtable band 5 RACEBAND R CUSTOM 5658 5695 5732
5769 5806 5843 5880 5917**

**vtxtable band 6 LOWRACE L CUSTOM 5333 5373 5413
5453 5493 5533 5573 5613**


**vtxtable band 7 IMD6 I CUSTOM 5732 5765 5828 584
0 5866 5740 0 0**

vtxtable powerlevels 5

vtxtable powervalues 1 2 25 100 400

vtxtable powerlabels 0 RCE 25 100 400

save



Package Included:

- 1 x OP400 VTX
- 1 x 5.8G Linear Antenna
- 4 x Silicone Wire
- 1 x Heat shrinkable tube